

Nelson's HASK Series connection kits are Factory Mutual and Canadian Standards Association approved or use in Class I, Division 1 hazardous areas when used with approved Nelson heating cables.



HASK-P Power Connection Kit is suitable for connecting one heating cable to customer supplied power wiring.

Kit Contents:


- 1 Approved XP Junction Box, Seal Fitting, Sealing Compound and Packing Fiber
- 1 Aluminum Standoff
- 1 Grommet
- 1 Power Termination with Adhesive Sealant
- 1 3-Point Floating Terminal Block
- 1 Pipe Plug
- 2 Stainless Steel Pipe Clamps (Specify Pipe Size)



HASK-E End Connection Kit is suitable for terminating one heating cable in a CI, D1 heat tracing system.

Kit Contents:


- 1 Approved XP Junction Box, Seal Fitting, Sealing Compound and Packing Fiber
- 1 Aluminum Standoff
- 1 Grommet
- 1 Power Termination with Adhesive Sealant
- 1 3-Point Floating Terminal Block
- 2 Pipe Plugs
- 2 Stainless Steel Pipe Clamps (Specify Pipe Size)



HASK-S Splice Connection Kit is designed for connecting two heating cables in an in-line splice configuration.

Kit Contents:

- 1 Approved XP Junction Box
- 2 Seal Fittings, Reducers, Sealing Compound and Packing Fiber
- 2 Cable Entry Seals with Grommets
- 2 Power Terminations with Adhesive Sealant
- 1 3-Point Floating Terminal Block
- 1 Pipe Plug
- 2 Stainless Steel Pipe Clamps (Specify Pipe Size)



HASK-T Tee Connection Kit is designed for connecting three heating cables in a tee splice configuration.

Kit Contents:

- 1 Approved XP Junction Box
- 3 Seal Fittings, Reducers, Sealing Compound and Packing Fiber
- 3 Cable Entry Seals with Grommets
- 3 Power Terminations with Adhesive Sealant
- 1 3-Point Floating Terminal Block
- 3 Stainless Steel Pipe Clamps (Specify Pipe Size)

HASK -

			<table><tr><td rowspan="4">3 12 20</td><td>SPECIFY PIPE SIZE</td></tr><tr><td>.75 – 2.5</td></tr><tr><td>3.0 – 10.0</td></tr><tr><td>12.0 – 20.0</td></tr></table>	3 12 20	SPECIFY PIPE SIZE	.75 – 2.5	3.0 – 10.0	12.0 – 20.0
					3 12 20	SPECIFY PIPE SIZE		
						.75 – 2.5		
						3.0 – 10.0		
				12.0 – 20.0				

P E S T	SPECIFY KIT CONFIGURATION	
	Power Connection	
	End Connection	
	Splice Connection	
	Tee Connection	

EGS
Electrical Group

**NELSON
HEAT TRACE**